

(In)Security of e-voting



Pascal Lafourcade



Cryptis, October 2022

E-voting a reality



The screenshot shows the top of the Le Monde website. At the top center is the 'Le Monde' logo. To the right are links for 'Se connecter' and 'S'abonner'. Below the logo is a navigation bar with categories: ACTUALITÉS, PRÉSIDENTIELLE 2022, ÉCONOMIE, VIDÉOS, DÉBATS, CULTURE, M LE MAG, SERVICES, and a search icon. The main content area features the article title 'Elections régionales 2021 : le vote électronique, remède à l'abstention ?' under the 'LES DÉCODEURS' section. A sub-headline reads: 'Après un premier tour marqué par une abstention historique, des membres de la majorité ont appelé à moderniser les scrutins, pour voter plus facilement, et donc de mobiliser davantage les électeurs.' The author is 'Par Assma Maad et Clément Perruche' and it was published on '25 juin 2021 à 18h40 - Mis à jour le 26 juin 2021 à 10h42 - Lecture 7 min.' There are also social media sharing icons.

Hauts-De-Seine : Neuilly-Sur-Seine Met En Place Un Système De Vote Électronique

On **Juil 5, 2021**

Le vote électronique fera son retour en 2022



Après la découverte de failles en 2019, tous les projets de scrutin en ligne ont été suspendus. La Poste a cependant poursuivi l'aventure. Elle développe à Neuchâtel un système mieux sécurisé qu'elle soumettra à des hackers

Flaws in E-voting a reality

TECH > VIE NUMÉRIQUE

SUISSE: UNE FAILLE DE SÉCURITÉ "MAJEURE" DANS LE SYSTÈME DE VOTE EN LIGNE

Raphaël Grably Le 13/03/2019 à 11:10



NEWS

Flaw in NSW's iVote platform confirmed by researcher




By Rohan Pearce

Editor, Computerworld | NOV 14, 2019 6:08 AM PST

A security researcher has confirmed that the version of New South Wales' online voting platform, iVote, employed during the 2019 election contained a vulnerability that potentially allowed the creation of false decryption proofs for ballots.

Vanessa Teague, an associate professor at the University of Melbourne, has released a paper outlining the iVote flaw, building on previous work of

Le Vote électronique



De Pierrick GAUDRY, Véronique CORTIER
256 pages, Odile Jacob 18/05/2022

Outline

Motivations

Formal Methods

e-voting

Hierarchy of Privacy Notions

Some Attacks

Sicilian

Vote Copy

Bulletin Board

Cryptographic Flaw

Clash


Machine Bugs

Blockchain and vote

Conclusion

Cryptography

Primitives
RSA, Elgamal,
AES, DES, SHA-3...



Protocols
Distributed
Programs

Security: Cryptography for a Property

TOP SECRET

Primitives
RSA, Elgamal,
AES, DES, SHA-3...



Cryptography




Protocols
Distributed
Programs



Security: Cryptography for a Property in an Hostile Environment



**TOP
SECRET**



Cryptography



Primitives
RSA, Elgamal,
AES, DES, SHA-3...



Protocols
Distributed
Programs



Security: Cryptography for a Property in an Hostile Environment



**TOP
SECRET**

Primitives
RSA, Elgamal,
AES, DES, SHA-3...



Cryptography
Verification



Protocols
Distributed
Programs



Designing Secure Schemes is Difficult!

How can we be convinced that a protocol is a good one?

Designing Secure Schemes is Difficult!

How can we be convinced that a protocol is a good one?



Publish the protocol and wait until someone finds an attack.

Designing Secure Schemes is Difficult!

How can we be convinced that a protocol is a good one?



Publish the protocol and wait until someone finds an attack.



Prove that there is no attack.

Designing Secure Schemes is Difficult!

How can we be convinced that a protocol is a good one?



Publish the protocol and wait until someone finds an attack.



Prove that there is no attack.

Usual problems with proofs:

- ▶ proving is a difficult task,
- ▶ pencil-and-paper proofs are error-prone.

How can we be convinced that a proof is a good one?

Designing Secure Schemes is Difficult!

How can we be convinced that a protocol is a good one?



Publish the protocol and wait until someone finds an attack.



Prove that there is no attack.

Usual problems with proofs:

- ▶ proving is a difficult task,
- ▶ pencil-and-paper proofs are error-prone.

How can we be convinced that a proof is a good one?



Publish the proof and wait until someone finds a mistake.

Designing Secure Schemes is Difficult!

How can we be convinced that a protocol is a good one?



Publish the protocol and wait until someone finds an attack.



Prove that there is no attack.

Usual problems with proofs:

- ▶ proving is a difficult task,
- ▶ pencil-and-paper proofs are error-prone.

How can we be convinced that a proof is a good one?



Publish the proof and wait until someone finds a mistake.



Computer-Aided Security.

Why Verification is Useful !



Formal Security Verification Team




Formal Security Verification Team



Formal Security Verification Team



Formal Security Verification Team



Success Story of Verification in Security

1995



≥ 17



(Casper/FDR)

2003: ProVerif **certified** email protocol (B. Blanchet et al)

2005: **Flaw** in Kerberos 5.0 with MSR 3.0 (I. Cervesato et al)

AVISPA

AVANTSSAR

SATMC

(A. Armando et al)

- 2008:
- Unknown Security **flaw** of Single Sign-On for Google Apps
 - **Proof** of TLS using Proverif (Fournet et al)

2010: TOOL for cryptoKi ANalysis
(G. Steel et al)



2019: UKano (L. Hirschi et al)



Other Tools: Athena, Brutus, Certycrypt, CL-ATSE, Coprové, Cryptoverif, Easycrypt, Hermes, Murphy, OFMC, Scyther, TA4SP, Tamarin ...

Outline

Motivations

Formal Methods

e-voting

Hierarchy of Privacy Notions

Some Attacks

Sicilian

Vote Copy

Bulletin Board

Cryptographic Flaw


Clash

Machine Bugs

Blockchain and vote

Conclusion

E-Voting vs Traditional Voting



Vote électronique



Vote traditionnel

- + Accessibility
- + Reducing the abstention rate
- + Automatic counting
- + Less organisation costs

Two e-voting (1/2)

Offline

- + Efficient and fast counting
- + Vote in any voting station
- Trust the machines



Two e-voting (2/2)

Online

- + Vote at home
- + Easy process
- + Less costs
 - Possible influence



Voting Protocol Organisation

5 Phases

1. Registration
2. Validation
3. Vote
4. Counting
5. Verification

**Register
to VOTE**





Security Requirements



Eligibility



Fairness



Universal Verifiability

Individual Verifiability



Correctness

Secure e-voting protocol



Privacy

Coercion-Resistance




Receipt-Freeness

Robustness



Eligibility

Only the registered voters can vote




Prevent double voting

Robustness




Tolerate a certain number of misbehaving voters

Correctness



Results should be correct

Individual Verifiability



Each voter can check whether his vote was counted correctly

Universal Verifiability



Anybody can verify that the announced result corresponds to the sum of all votes

Anonymity

Privacy: unlinkability between the voter and his vote



Receipt-Freeness: A voter cannot construct a receipt



Corecion-Resistance: A coercer cannot be sure the voter followed his instructions



Privacy implies Individual Verifiability

2018 Cortier et al.



A system without Individual Verifiability cannot achieve privacy !

Dispute Resolution in Voting



In 2020, by David Basin, Sasa Radomirovic, Lara Schmid

Reduction Results: How many agents ?



- ▶ Security properties: **two** agents are sufficient.
2004 by Hubert Comon-Lundh, Véronique Cortier
- ▶ When Are **Three Voters** Enough for Privacy Properties?
2016 by Myrto Arapinis, Véronique Cortier, Steve Kremer

Outline

Motivations

Formal Methods

e-voting

Hierarchy of Privacy Notions

Some Attacks

Sicilian

Vote Copy

Bulletin Board

Cryptographic Flaw

Clash

Machine Bugs

Blockchain and vote

Conclusion



State of the Art

Several Definitions for Privacy for e-voting protocols:

[DKR09,DKR10,MN06,BHM08,KT09,KSR10,LJP10,SC11,...]

But

- ▶ designed for a specific protocol
- ▶ often cannot be applied to other protocols

OUR GOAL

Propose fine-grain definitions
to compare security levels of protocols



4 Dimensions for Privacy [DLL'12a, DLL'11]

Modeling in Applied π -Calculus

1. Communication between the attacker and the targeted voter



Vote-Privacy (VP) Receipt-Freeness (RF) Coercion-Resistance (CR)



4 Dimensions for Privacy [DLL'12a, DLL'11]

Modeling in Applied π -Calculus

1. Communication between the attacker and the targeted voter



Vote-Privacy (VP) Receipt-Freeness (RF) Coercion-Resistance (CR)

2. Intruder is controlling another voter:

Outsider (O)



Insider (I)



4 Dimensions for Privacy [DLL'12a, DLL'11]

Modeling in Applied π -Calculus

1. Communication between the attacker and the targeted voter



Vote-Privacy (VP) Receipt-Freeness (RF) Coercion-Resistance (CR)

2. Intruder is controlling another voter:

Outsider (O)



Insider (I)

3. Secure against Forced-Abstention: (FA) or not (PO)





4 Dimensions for Privacy [DLL'12a, DLL'11]

Modeling in Applied π -Calculus

- 1. Communication between the attacker and the targeted voter



Vote-Privacy (VP) Receipt-Freeness (RF) Coercion-Resistance (CR)

- 2. Intruder is controlling another voter:

Outsider (O)



Insider (I)

- 3. Secure against Forced-Abstention: (FA) or not (PO)




- 4. Honest voters behavior:





Relations among the notions



Outline

Motivations

Formal Methods

e-voting

Hierarchy of Privacy Notions

Some Attacks

Sicilian

Vote Copy

Bulletin Board

Cryptographic Flaw

Clash

Machine Bugs

Blockchain and vote

Conclusion

Sicilian Attack

Arlette
François
Emanuel
Marine
Jean-Luc
Arnaud
Ségolène
Jacques
Georges
Charles
Jean-Marie
Valérie

With 12 candidates, > 479 millions possible combinations!

> 2,000,000 votes have been cast



<https://vote.heliosvoting.org/>

Helios code is Open Source
Based on scientific papers
Use mixnet

By V. Cortier et al in 2010

Replaying a voter's ballot

- ▶ Alice votes A
- ▶ Bob votes B
- ▶ Charlie votes like Alice

This attack works on other protocols like Lee et al and Sako et al.




<https://www.belenios.org/>
Belenios code is Open Source

Re-ordering Attack on Belenios 2021

Individual verifiability : if I see my last ballot on the bulletin board, it will be counted.

Attack scenario





Alice has seen her last ballot on the bulletin board but this is not the one that will be counted...

Attack by Baloglu et al. CSF2021

Fix with counter + Pok by Debant et al. 2022

Multi-server Attack on Belenios < 1.13

A privacy attack against Belenios




Swiss Post Attack (Bug Bounty 40Keuros)

A privacy attack against Swiss-Post protocol



Overview of the protocol :



Cortier et al. RWC'22

Bulletin Board



- ▶ Fifty Shades of Ballot Privacy: Privacy against a Malicious Board, by Véronique Cortier, Joseph Lallemand, Bogdan Warinschi in 2020
- ▶ Fixing the Achilles Heel of E-Voting: The Bulletin Board by, Lucca Hirshi, Lara Schmid, David Basin in 2021

Russian Online Election



In 2019, Breaking the encryption scheme of the Moscow Internet voting system by P. Gaudry et al

- ▶ Elgamal key sizes are too small (CADO-NFS)
- ▶ Counting the number of votes cast for a candidate.



1994 Benaloh's Scheme

$$enc(a, pk_S) * enc(b, pk_S) = enc(a + b, pk_S)$$

Partial homomorphisms are widely used in voting schemes

$$\prod enc(v_i, pk_S) = enc(\sum v_i, pk_S)$$



Original Benaloh's scheme is ambiguous

$$\text{dec}(\text{enc}(14, pk_S), sk_S) = 14 \pmod{15} \text{ or } 14 \pmod{5} = 4$$


Revisited Benaloh's encryption [FLA'11]

- ▶ Drawing false parameters: 33%
- ▶ Proposition of corrected version
- ▶ Proof using Kristian Gjosteen result.



Impact

Example with 15 voters




$\{0\}_{pk_S}$

$\{1\}_{pk_S}$

- ▶ $\prod enc(v_i, pk_S) = enc(\sum v_i, pk_S) = enc(14, pk_S)$
- ▶ Result can be either 14 or 4

Clash Attack on the verifiability of e-voting systems

By 2012 Kuesters et al.



Different voters with the same receipt

⇒ Authorities can manipulate the election without being detected

Attacks



- ▶ In 2007, Security Analysis of the Diebold AccuVote-TS Voting Machine by A. Feldman et al.
- ▶ In 2012, Attacking the Washington, D.C. Internet Voting System, by Scott Wolchok et al.
- ▶ In 2017 Voting Machine Hacking Village by Matt Blaze et al.



- ▶ AVS WinVote DRE
- ▶ Premier AccuVote TSx DRE
- ▶ ES&S iVotronic DRE
- ▶ PEB version 1.7c-PEB-S
- ▶ Sequoia AVC Edge DRE
- ▶ Diebold Express Poll 5000 electronic pollbook

With limited resources and information, they can be hacked.

Outline

Motivations

Formal Methods

e-voting

Hierarchy of Privacy Notions

Some Attacks

Sicilian

Vote Copy

Bulletin Board

Cryptographic Flaw

Clash

Machine Bugs

Blockchain and vote

Conclusion

Hyperledger Fabric



Ledger

- ▶ Public
- ▶ Infalsifiable
- ▶ Distributed

⇒ Verifiability !



DABSTERS

Distributed Authorities using Blind Signature To Effect Robust Security in e-voting



Ingredients

- ▶ BlindCons : BFT consensus + Blind Signature
- ▶ Shamir Secret Sharing
- ▶ Identity Based Encryption
- ▶ Elliptic Curve $P = k.Q$
- ▶ Pairing $e(aP, bQ) = e(P, Q)^{ab}$
- ▶ Hash Function

Summary

DABSTERS in e-voting	
Eligibility	✓
Fairness	✓
Robustnsse	✓
Integrity	✓
Individual Verifiability	✓
Universal Verifiability	✓
Anonymity	✓
Receipt-Freeness	✓
Coercion Resistance	✗
Vote choice	Multiple

Formal Verification of DABSTERS

Properties	Results	Time
Vote Secrecy	✓	0.012 s
Authentication	✓	0.010 s
Vote Privacy	✓	0.024 s

Using Proverif

Outline

Motivations

Formal Methods

e-voting

Hierarchy of Privacy Notions

Some Attacks

- Sicilian

- Vote Copy

- Bulletin Board

- Cryptographic Flaw

- Clash

- Machine Bugs

Blockchain and vote


Conclusion

Summary



- ▶ Voting is important for democracy
- ▶ Protocols must be open
- ▶ Design of voting protocols is not easy
- ▶ Formal Verification can help
- ▶ Proving all properties together is difficult

Future Work



- ▶ Scalability
- ▶ Human aspect are not yet taken into account
- ▶ End-to-end verification
- ▶ All properties in one tool !

Thank you for your attention.

